



TRACKLESS BI-FOLDING SWING GATE HARDWARE SPACE-SAVING FEATURE

TWIN DRIVE 6.0

BI-FOLDING DOUBLE LEAF SWING GATE HARDWARE SPACE-SAVING FEATURE MAX. 3,0 m SINGLE LEAF SINGLE LEAF MAX. 110 kg HEIGHT MAX. 1,6 m CENTRAL HINGES INCLUDED

CODE: 1710901

TWIN DRIVE 3.0

BI-FOLDING SINGLE LEAF SWING GATE HARDWARE SPACE-SAVING FEATURE MAX. 3,0 m SINGLE LEAF SINGLE LEAF MAX. 110 kg HEIGHT MAX. 1,6 m CENTRAL HINGES INCLUDED

CODE: 1710902



NO WELDING REQUIRED



TRACKLESS BI-FOLDING



SPACE SAVING FEATURE - 50% OF BACK SPACE



COMPACT PACKAGE



EASY ASSEMBLY



EASY TRANSPORT



FAST NO WELDING REQUIRED



FOR RESIDENTIAL USE ONLY



EASY TELESCOPIC ADJUSTMENT



TAKE AWAY



SUITABLE FOR OFFSET LEAFS 100% + 50%



HIGH QUALITY GUARANTEED



SUITABLE FOR ALL STANDARD HINGES WITH A SINGLE AXLE



CAIS INNOVATION



WIND RESISTANCE MAX. 50% LEAF CLOSURE



90° MAX. ANGLE



SUITABLE FOR ALL STANDARD AUTOMATIC GATE OPERATORS




BOTTOM FIXED LEAF SAFETY FEATURE





TESTED & PROVEN




TESTED & PROVEN











































www.cais.eu